

Platform Home Lift Hydraulic

Divas



TPEC VIETNAM
ELEVATOR & ESCALATOR
CÔNG NGHỆ NHỎ CAO - DỊCH VỤ



MoviLift

○ What is it?

100% Made in Italy, the Movilift lifting platform is suitable for any type of architectural context. It is distinguished by its silence, reliability, safety and ease of installation.

In the event of interruption of the mains supply, the machine automatically returns to the lowest floor. It can be installed in new buildings or existing buildings and it is possible to provide a metal structure for interior or exterior.

It can be completely customized in coatings and accessories and is a safe and certified product.



TPEC VIETNAM
CÔNG NGHỆ ĐỈNH CAO - DỊCH VỤ HOÀN HẢO

○ Certificates

All Divas lift models carry the CE mark and are subjected to extensive testing and quality control before leaving our factory. Our lifts comply with the Machinery Directive 2006/42/EC and applicable European Standards.

Lifts are delivered with the following documentation:

Type certificate, Declaration of Conformity

○ Technical data

Traction: hydraulic with control unit installed near the shaft, or in a cabinet

Capacity: from 250 kg to 600 kg

Maneuver: maneuver APB or automatic in the cabin and automatic on the floor

Stops: up to 6

Travel: max 12000 mm

Minimum headroom: 2400 mm

Minimum pit: 150mm (with linoleum floor or 180mm with marble ones)

Speed: 0,15 m / s (on request 0,30 m / s - slow lift)


Doors: automatic or swing ones

Power supply: 220V - one-phase - 50 hz / 380V three-phase 50 hz


Motor power: from 1.5 to 4 kw




Plant types manual




DC1	DC1/1	DC1/2	DC1/3	DC1/4	DC1/5	DC1/6	DC1/7	DC1/8	DC1/9
CABIN WIDTH	830	830	830	1030	1030	1030	830	1130	1030
CABIN DEPTH	830	1030	1300	1300	1030	830	1200	1400	1400
SHAFT WIDTH	1160	1160	1160	1360	1360	1360	1160	1460	1360
SHAFT DEPTH	950	1150	1450	1450	1150	950	1350	1550	1550
DOOR OPENING	750	750	750	950	950	950	750	900	950
CAPACITY	300	300	340	400	340	340	300	400	400
PERSONS	3	3	3	3	3	3	3	3	3



DL1	DL1/1	DL1/2	DL1/3	DL1/4	DL1/5	DL1/6	DL1/7
CABIN WIDTH	830	1030	1300	1300	1030	830	830
CABIN DEPTH	830	830	830	1030	1030	1030	1200
SHAFT WIDTH	1030	1230	1530	1530	1230	1030	1030
SHAFT DEPTH	1106	1106	1106	1306	1306	1306	1476
DOOR OPENING	750	950	950	950	950	750	750
CAPACITY	300	300	340	400	340	340	400
PERSONS	3	4	4	5	4	4	5






DA2	DA2/1	DA2/2	DA2/3	DA2/4	DA2/5	DA2/6	DA2/7	DA2/8
CABIN WIDTH	830	830	830	1030	1030	1030	1200	1200
CABIN DEPTH	830	1030	1300	1300	1030	830	830	1200
SHAFT WIDTH	1106	1106	1106	1306	1306	1306	1476	1476
SHAFT DEPTH	975	1175	1445	1445	1175	975	975	1345
DOOR OPENING	750	750	750	950	950	950	950	950
DOOR OPENING	750	950	950	950	950	750	750	950
CAPACITY	300	300	340	400	340	340	400	400
PERSONS	3	4	4	5	4	4	5	5



DP2	DP2/1	DP2/2	DP2/3	DP2/4	DP2/5	DP2/6	DP2/7	DP2/8
CABIN WIDTH	830	830	830	1030	1030	1030	830	1130
CABIN DEPTH	830	1030	1300	1300	1030	830	1200	1400
SHAFT WIDTH	1160	1160	1160	1360	1360	1360	1160	1460
SHAFT DEPTH	920	1120	1390	1390	1120	920	1290	1490
DOOR OPENING	750	750	750	950	950	950	750	900
CAPACITY	300	300	340	400	340	340	300	400
PERSONS	3	4	4	5	4	4	4	5



Plant types automatic



DC1 - 2AT	DC1/1	DC1/2	DC1/3	DC1/4	DC1/5	DC1/6
CABIN WIDTH	830	830	1030	1030	830	980
CABIN DEPTH	1030	1300	1300	1030	1200	1200
SHAFT WIDTH	1160	1160	1350	1350	1160	1310
SHAFT DEPTH	1290	1590	1590	1290	1490	1490
DOOR OPENING	650	650	750	750	650	750
CAPACITY	300	340	400	340	300	400
PERSONS	4	4	5	4	4	4

DL1 - 2AT	DL1/1	DL1/2	DL1/3
CABIN WIDTH	1030	1300	1030
CABIN DEPTH	830	830	1030
SHAFT WIDTH	1460	1460	1460
SHAFT DEPTH	1240	1240	1440
DOOR OPENING	850	850	850
CAPACITY	300	340	340
PERSONS	4	4	4

DP2 - 2AT	DP2/1	DP2/2	DP2/3	DP2/4	DP2/5
CABIN WIDTH	830	830	1030	1030	830
CABIN DEPTH	1030	1300	1300	1030	1200
SHAFT WIDTH	1160	1160	1350	1350	1170
SHAFT DEPTH	1382	1652	1652	1382	1552
DOOR OPENING	650	650	750	750	650
CAPACITY	300	340	400	340	300
PERSONS	4	4	5	4	4

*on request it's possible to realize the DIVAS platform with non-standard dimensions



○ Standard

Entrances: 1 or 2 opposite or adjacent accesses

Landing doors: hinged with standard window or automatic with central or side opening.

Floor buttons: flush mounted steel plate complete with braille push buttons, open door, alarm and / or display for floor indication

Cabin: walls in plasticized sheet steel with stainless steel finishes, linoleum floor, white 4 LED spot-lights ceiling, half-wall mirror with handrail, roof with hatch and photocell barrier.


Car operating panel COP: mechanical side removable column with braille push buttons, open door, alarm maintenance key, LCD display and emergency light / capacity plate

Cabin doors: on automatic platform, finishes are like cabin walls

Controller features: automatic emergency in down movement

features

○ Options



TPEC VIETNAM®
ELEVATOR & ESCALATOR

Hinged doors: blinded, panoramic with transparent glass or custom. RAL painting or steel coating ***. Fire-fighting version EI 60 - EI 120.

Automatic landing doors: 2AT type (two telescopic), 3AT (3 telescopic leaves), 2AO (two opposite central antis), 4AO (four opposite central doors), blind or panoramic. RAL painting, plasticized sheet or steel. Fire-fighting version EI60 - EI 120.

Landing operating panel LOP: enabling calls key, TFT display, floor indicators (out of service, direction arrows, alarm, arriving indicator).

Car operating panel COP: enabling calls key, independent call key, cabin fan switch, cabin light switch, TFT display with customization of the capacity plate with customer logo, loudspeaker cut out, for synthesis.

Cabin doors: in plasticized sheet, steel or panoramic.

Cabin: full-wall mirror, bidirectional communication device, panoramic walls, special steel finishes. Ceiling with different finishes, vocal synthesis, protection bumper strips. Predisposition for bottom coating.

Supporting structure: press-folded sheet metal for exteriors and interiors with bolted elements. Finishes with RAL painting. Buffering with laminated glass or insulated panels and / or sheets.



Stainless steel



X01
POLISHED BA




X02
SCOTCH-BRITE




X03
POLISHED 7 MIRRORED




X04
POLISHED LINEN



X05
CHESS



X06
MULTI-SQUARED



X07
POLISHED 2WL



X08
POLISHED 5WL



X09
POLISHED LEATHER



X10
BLASTED



X11
BLASTED CHAMPAGNE



X12
POLISHED BRONZE



X13
SATIN BRONZE



X14
LEATHER BRONZE



X15
T-STEEL GOLD SM



X16
SATIN GOLD



X17
T-STEEL GOLD HL



X18
LINEN GOLD

Plalam



A1
WHITE



G1
CREAM




N1
LIGHT GREY



A13
IVORY



V14
GREEN



B13
SKY BLUE



G22SMA
YELLOW



N4
DARK GREY



A32PP
POLISHED WHITE



PP53
STRIPED WHITE




PP510
DEC WHITE



F12PPS
STAINLESS STEEL GREY



R2
RED



PP512
DEC GREY



PP511
DEC BEIGE




PP531
DEC BLUE



N3PP
POLISHED BLACK



F21SMA
ALUMINIUM GREY



F42PPS
TIPO INOX SB



DL99
CILIEGIO



DL88
FAGGIO



DL205MA
NOCE SCURO

TPEC VIETNAM
ELEVATOR & ESCALATOR
CÔNG NGHỆ ĐỈNH ĐÀO - DỊCH VỤ HOÀN HẢO





RAL painting



Wood laminates





○ Limoleum



531
VEINED WHITE



542
VEINED BEIGE



453
SPOTTED WHITE



171
CEMENT GREY



672
MARBLED GREY



645
MARBLED RED



442
SPOTTED GREY



674
MARBLED BLACK



631
MARBLED BEIGE



628
MARBLED YELLOW



640
MARBLED SALMON



632
MARBLED BROWN



639
MARBLED RUST



669
MARBLED BLUE



652
MARBLED GREEN

○ Bubbled rubber




870
GREY




881
BLACK


○ Steel and aluminium



901
RICE GRAIN STAINLESS
STEEL AISI-304




902
TREADTEX STAINLESS
STEEL AISI-316



903
SATIN STAINLESS STEEL
5WL AISI-304 (OPT. AISI-316)



904
RICE GRAIN ALUMINIUM



905
STRIPED METAL SHEET

○ Rocksolid



607



616



677




630



TERRACOTTA




DARK CHOCOLATE



609




2402



TITAN GREY


○ Natural stone



BIANCO DI CARRARA



BEIGE SAHARA



GRANITO NERO AFRICA



Suspended ceilings



L04
WITH ROUND LED SPOTLIGHTS



L16
SINGLE LED BAR



L17
DOUBLE LED BAR



L18
PERIMETER MINI-LED



L19
WITH SPOTLIGHT IN CIRCULAR PATTERNS



L04Q
WITH SQUARE LED SPOTLIGHTS



L08
RANDOM MULTI-ROUND



L09
MULTI-SQUARED



L10
PROSPECTIVE



L11
OPALINE

Colours and finishing

accessories

Handrails



TPEC VIETNAM[®]
ELEVATOR & ESCALATOR
CÔNG NGHỆ ĐỈNH CAO - DỊCH VỤ HOÀN HẢO



C01
ROUND SATIN STAINLESS STEEL



C02
ROUND POLISHED STAINLESS STEEL



C03
RECTANGULAR SATIN STAINLESS STEEL



C04
RECTANGULAR POLISHED STAINLESS STEEL



C05
ROUND POLISHED STAINLESS STEEL WITH CURVED CORNERS



C06
ROUND SATIN STAINLESS STEEL WITH CURVED CORNERS



C07
"STEEL-COLOUR" CUSTOMISED RANGE



○ Automatic doors

Automatic doors with RAL painting of your choice, steel with customizable finishes, plalam or panoramic glasses with frame glass.



1 RAL



2 STEEL



3 PLALAM



4 PANORAMIC



TPEC VIETNAM
ELEVATOR & ESCALATOR
CÔNG NGHỆ ĐỈNH CAO - DỊCH VỤ HOÀN HẢO

○ Hinged doors

Blind doors with either standard or panoramic windows. The doors can be also steel covered. Locks and handle included.



1 BLIND



2 STANDARD



3 PANORAMIC



4 ALUMINUM COVERED

* on request steel covered

Car operating panel - Column



Options

Equipped with the cabin column, you can choose the TFT 7" Marlin display or the Rainbow LCD display combined with the Label 57 emergency light capacity plate. Marlin EVO TFT has integrated a voice synthesizer with the various messages, music and announcements.



1 LCD



2 TFT

Options

4.3" TFT display IPPOCAMPO with customizable images and data



Landing operating panels



1 RUBENS



2 FLAT



3 MAKALU



Via Napoli, 350 80053 Castellammare di Stabia (NA) - Italy
Tel: +39 081.8713646
Fax: +39 081.19308204

E-mail: info@liftexport.com
www.divaslift.com
P.Iva: 03971331214